

JIT 3 LEGS on floor H 710
5104-LF11
Design Gregorio Facco




TABLE TOP SIZES (mm)
DIMENSIONI PIANI TAVOLO (mm)
dimensiones de los tableros (mm)

FRAME
TELAIO
BASTIDOR

Metal frame in round tube Ø 50 mm, thickness 2,5 mm, in conformity with UNI EN 10305-3 rules, stars in oval tube 40x20 mm, thickness 1,5 mm, accordingly with UNI EN 10305-3 rule. Painted frame with epoxy-polyester powder with average thickness of 50 µ.
Cornice metallica in tubo tondo Ø 50 mm, spessore 2,5 mm, conforme alla norma UNI EN 10305-3, razze in tubo ovale 40x20 mm, spessore 1,5 mm, conforme alla norma UNI EN 10305-3. Cornice verniciata con polvere epossipoliestere con spessore medio di 50 µ.
Bastidor metálico de tubo redondo de Ø 50 mm, 2,5 mm de espesor, conforme a la norma UNI EN 10305-3, puntas de tubo ovalado 40x20 mm, 1,5 mm de espesor, conforme a la norma UNI EN 10305-3. Bastidor con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.

- 20
- 03
- 7006F
- 79
- 3009F

TABLE TOP
PIANO TAVOLO
SUPERFICIE DE MESA

Laminate: thickness 30mm
Laminato: spessore 30 mm
Laminado: espesor 30mm

- LM01
- LM02

HPL (Black core edge): thickness 10mm
HPL (bordo con nucleo nero): spessore 10 mm
HPL (Borde alma negra): espesor 10mm

- HPL03
- HPL02

HPL (Black core edge): thickness 10mm
HPL (bordo con nucleo nero): spessore 10 mm
HPL (Borde alma negra): espesor 10mm

- HPL09
- HPL06
- HPL08

Fenix: thickness 10mm
Fenix: spessore 10 mm
Fenix: espesor 10mm

- FX01
- FX02

TABLE TOP
PIANO TAVOLO
SUPERFICIE DE MESA

Steel: thickness 3mm
Acciaio: spessore 3 mm
Acero: espesor 3mm



RFS01 **RFS02**

Recycled fiberglass: thickness 20mm
Fibra di vetro riciclata: spessore 20 mm
Fibra de vidrio reciclada: espesor 20mm

TABLE SUPPORT
FEATURES
FINITURE SUPPORTO
TAVOLO
ACABADOS DE LOS
SOPORTES DE MESA

Polished die cast aluminium.
Alluminio pressofuso lucidato.
Aluminio fundido a presión pulido

PKG
IMBALLO
EMBALAJE

Pkg Table Top	A(mm)	B(mm)	C(mm)	PCS	Weight LM (kg)	Weight HPL white	Weight HPL other	Weight FX (kg)	Weight RFS* (kg)
Ø600	625	625	65	1	6.6	4.6	4.6	4.8	7
Ø700	725	725	65	1	8.9	6.2	6.2	6.5	9.5
600x600	625	625	65	1	8.2	5.8	5.8	6	8.8
700x700	725	725	65	1	11.1	7.8	7.8	8.1	12

Pkg Frame	A(mm)	B(mm)	C(mm)	PCS	Weight (kg)
	630	590	855	1	7

JIT 3 LEGS on floor H 1070
5104-LF12
Design Gregorio Facco




TABLE TOP SIZES (mm)
DIMENSIONI PIANI TAVOLO (mm)
dimensiones de los tableros (mm)

FRAME
TELAIO
BASTIDOR

Metal frame in round tube Ø 50 mm, thickness 2,5 mm, in conformity with UNI EN 10305-3 rules, stars in oval tube 40x20 mm, thickness 1,5 mm, accordingly with UNI EN 10305-3 rule. Painted frame with epoxy-polyester powder with average thickness of 50 µ.

Cornice metallica in tubo tondo Ø 50 mm, spessore 2,5 mm, conforme alla norma UNI EN 10305-3, razze in tubo ovale 40x20 mm, spessore 1,5 mm, conforme alla norma UNI EN 10305-3. Cornice verniciata con polvere epossipoliestere con spessore medio di 50 µ.

Bastidor metálico de tubo redondo de Ø 50 mm, 2,5 mm de espesor, conforme a la norma UNI EN 10305-3, puntas de tubo ovalado 40x20 mm, 1,5 mm de espesor, conforme a la norma UNI EN 10305-3. Bastidor con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.



TABLE TOP
PIANO TAVOLO
SUPERFICIE DE MESA

Laminate: thickness 30mm
Laminato: spessore 30 mm
Laminado: espesor 30mm



HPL (Black core edge): thickness 10mm
HPL (bordo con nucleo nero): spessore 10 mm
HPL (Borde alma negra): espesor 10mm



HPL (Black core edge): thickness 10mm
HPL (bordo con nucleo nero): spessore 10 mm
HPL (Borde alma negra): espesor 10mm



Fenix: thickness 10mm
Fenix: spessore 10 mm
Fenix: espesor 10mm



Reproduction of this document is strictly prohibited without prior written authorisation from Omp srl. Sizes, weights and finishes may change without previous notice.
È vietata la riproduzione del seguente documento senza previa autorizzazione scritta da parte di Omp srl. Dimensioni, pesi e finiture possono variare senza alcun preavviso.
La reproducción de este documento está estrictamente prohibida sin la autorización previa de Omp srl. Los tamaños, pesos y acabados pueden cambiar sin previo aviso.

TABLE TOP
PIANO TAVOLO
SUPERFICIE DE MESA

Steel: thickness 3mm
Acciaio: spessore 3 mm
Acero: espesor 3mm



RFS01 **RFS02**

Recycled fiberglass: thickness 20mm
Fibra di vetro riciclata: spessore 20 mm
Fibra de vidrio reciclada: espesor 20mm

TABLE SUPPORT
FEATURES
FINITURE SUPPORTO
TAVOLO
ACABADOS DE LOS
SOPORTES DE MESA

Polished die cast aluminium.
Alluminio pressofuso lucidato.
Aluminio fundido a presión pulido

PKG
IMBALLO
EMBALAJE

Pkg Table Top	A(mm)	B(mm)	C(mm)	PCS	Weight LM (kg)	Weight HPL white	Weight HPL other	Weight FX (kg)	Weight RFS* (kg)
Ø600	625	625	65	1	6.6	4.6	4.6	4.8	7
Ø700	725	725	65	1	8.9	6.2	6.2	6.5	9.5
600x600	625	625	65	1	8.2	5.8	5.8	6	8.8
700x700	725	725	65	1	11.1	7.8	7.8	8.1	12

Pkg Frame	A(mm)	B(mm)	C(mm)	PCS	Weight (kg)
	630	590	1085	1	8