SICLA 5 star updown
5040-5SUP
Design Claus Breinholt



BASE
BASE
BASE

Polished aluminium 4 star base. Support polished die casting aluminium.
Base 4 razze in alluminio lucido. Supporto in alluminio pressofuso lucido.
Base de aluminio pulido de 4 radios Soporte de aluminio fundido a presión pulido

00L	30	31	514F	503F	6013F	3009F

SHELL
SCOCCA
CARCASA

Polypropylene + Glass fiber
Polypropylene + Glass fiber
Polypropylene + Glass fiber

S020	R8022	S514	R6013	P7608U	S011	S503

FINISHING
FINITURA
ACABADO

Base and support painted with epoxy-polyester powder with average thickness of 50 µ..
Base e supporto verniciati a polvere epossi-poliestere con spessore medio di 50 μ.
Base y soporte con recubrimiento en polvo epoxi-poliéster con 50 μ de espesor medio.

CASTORS
RUOTE
RUEDAS PIVOTANTES

Castors diam. 60 stem 11.
Ruote diam. 60 stem 11.
Ruedas pivotantes diám. 60 perno 11.

PKG
IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
	70,5	73,5	88	0.45	1	12

Reproduction of this document is strictly prohibited without prior written authorisation from Omp srl. Sizes, weights and finishes may change without previous notice.
È vietata la riproduzione del seguente documento senza previa autorizzazione scritta da parte di Omp srl. Dimensioni, pesi e finiture possono variare senza alcun preavviso.
La reproducción de este documento está estrictamente prohibida sin la autorización previa de Omp srl. Los tamaños, pesos y acabados pueden cambiar sin previo aviso.

SICLA 5 star updown upholstered seat panel
5040-5SUS
Design Claus Breinholt



BASE
BASE
BASE

Polished aluminium 4 star base. Support polished die casting aluminium.
Base 4 razze in alluminio lucido. Supporto in alluminio pressofuso lucido.
Base de aluminio pulido de 4 radios Soporte de aluminio fundido a presión pulido

00L	30	31	514F	503F	6013F	3009F

SHELL
SCOCCA
CARCASA

Polypropylene + Glass fiber
Polypropylene + Glass fiber
Polypropylene + Glass fiber

S020	R8022	S514	R6013	P7608U	S011	S503

UPHOLSTERY
TAPPEZZERIA
TAPIZADOS

Wood seat panel in plywood beech, 5,5 mm thickness, upholstered.
Wood seat panel in plywood beech, 5,5 mm thickness, upholstered.
Wood seat panel in plywood beech, 5,5 mm thickness, upholstered.

A Space,Panarea
B Eco Leather
C Convert D,Velvety,Step, Step Melange, Nuvole
D Reflect
E Field, Oceanic, Yoredale
F Steelcut Quartet,Canvas2
G Divina3, Divina Melange, Fiord
H Full Leather

COM Fabric(m)	COM Leather(m2)
0,65	0.50

FINISHING
FINITURA
ACABADO

Base and support painted with epoxy-polyester powder with average thickness of 50 µ.
Base e supporto verniciati a polvere epossi-poliestere con spessore medio di 50 µ.
Base y soporte con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.

CASTORS
RUOTE
RUEDAS PIVOTANTES

Castors diam. 60 stem 11.
Ruote diam. 60 stem 11.
Ruedas pivotantes diám. 60 perno 11.

PKG
IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
	59	63	85.5	0.32	1	12.2

Reproduction of this document is strictly prohibited without prior written authorisation from Omp srl. Sizes, weights and finishes may change without previous notice.
È vietata la riproduzione del seguente documento senza previa autorizzazione scritta da parte di Omp srl. Dimensioni, pesi e finiture possono variare senza alcun preavviso.
La reproducción de este documento está estrictamente prohibida sin la autorización previa de Omp srl. Los tamaños, pesos y acabados pueden cambiar sin previo aviso.

SICLA 5 star updown full upholstered panel
5040-5SUT
Design Claus Breinholt



BASE
BASE
BASE

Polished aluminium 4 star base. Support polished die casting aluminium.
Base 4 razze in alluminio lucido. Supporto in alluminio pressofuso lucido.
Base de aluminio pulido de 4 radios Soporte de aluminio fundido a presión pulido

00L	30	31	514F	503F	6013F	3009F

SHELL
SCOCCA
CARCASA

Polypropylene + Glass fiber
Polypropylene + Glass fiber
Polypropylene + Glass fiber

S020	R8022	S514	R6013	P7608U	S011	S503

UPHOLSTERY
TAPPEZZERIA
TAPIZADOS

Polypropylene full upholstered shell.
Polypropylene full upholstered shell.
Polypropylene full upholstered shell.

A Space,Panarea
B Eco Leather
C Convert D,Velvety,Step, Step Melange, Nuvole
D Reflect
E Field, Oceanic, Yoredale
F Steelcut Quartet,Canvas2
G Divina3, Divina Melange, Fiord
H Full Leather

COM Fabric(m)	COM Leather(m2)
1.00	1.20

FINISHING
FINITURA
ACABADO

Base and support painted with epoxy-polyester powder with average thickness of 50 µ..
Base e supporto verniciati a polvere epossi-poliestere con spessore medio di 50 µ.
Base y soporte con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.

CASTORS
RUOTE
RUEDAS PIVOTANTES

Castors diam. 60 stem 11.
Ruote diam. 60 stem 11.
Ruedas pivotantes diám. 60 perno 11.

PKG
IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
	59	63	85.5	0.32	1	12.2

Reproduction of this document is strictly prohibited without prior written authorisation from Omp srl. Sizes, weights and finishes may change without previous notice.
È vietata la riproduzione del seguente documento senza previa autorizzazione scritta da parte di Omp srl. Dimensioni, pesi e finiture possono variare senza alcun preavviso.
La reproducción de este documento está estrictamente prohibida sin la autorización previa de Omp srl. Los tamaños, pesos y acabados pueden cambiar sin previo aviso.